JOURNAL OF ROBOTIC SYSTEMS

INDEX TO VOLUME 17

ISSUES 1–12, 2000

WILEY
Publishers Since 1807

JOURNAL OF ROBOTIC SYSTEMS

Editors

Gerardo Beni and Susan Hackwood
Bourns College of Engineering
University of California, Riverside
Riverside, California

Editorial Board

J. Albus
National Institute of Standards and Technology, Gaithersburg, Maryland

S. Arimoto
University of Tokyo, Tokyo, Japan

R. Bajcsy
University of Pennsylvania, Philadelphia, Pennsylvania

B.G. Batchelor
University of Wales, Cardiff, Wales

A.K. Bejczy
Jet Propulsion Laboratory, Pasadena, California

P. Dario
University of Pisa, Pisa, Italy

E. Freund
Universität Dortmund, Dortmund, Germany

T. Fukuda
Nagoya University, Nagoya, Japan

K. Furuta
Tokyo Institute of Technology, Tokyo, Japan

E. Hall
University of Cincinnati, Cincinnati, Ohio

S. Hirose
Tokyo Institute of Technology, Tokyo, Japan

H. Inoue
University of Tokyo, Tokyo, Japan

R. Kelley
Rensselaer Polytechnic Institute, Troy, New York

H. Miura
University of Tokyo, Tokyo, Japan

A. Oosterlinck
Catholic University of Leuven, Heverlee, Belgium

A.C. Sanderson
Rensselaer Polytechnic Institute, Troy, New York

G.N. Saridis
Rensselaer Polytechnic Institute, Troy, New York

Y. Shirai
Osaka University, Osaka, Japan

J.P. Trevelyan
University of Western Australia, Nedlands, Australia

S. Tsuji
Osaka University, Osaka, Japan

M. Uchiyama
Tohoku University, Sendai, Japan

Y. Umetani
Tokyo Institute of Technology, Tokyo, Japan

Editorial Production

M. Daniel DeCillis
Bourns College of Engineering
University of California, Riverside
Riverside, California

Michael Gregory
John Wiley & Sons, Inc.

Associate Editor for Dynamics, Kinematics, and Control

J.M. McCarthy
University of California, Irvine
Irvine, California

The *Journal of Robotic Systems* (Print ISSN: 0741-2223; Online ISSN 1097-4563 at Wiley InterScience, www.interscience.wiley.com) is published monthly, one volume per year, by John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.

Copyright © 2000 by John Wiley & Sons, Inc. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under section 107 and 108 of the 1976 United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923; (978) 750-8400; fax: (978) 750-4470. Periodicals postage paid at New York, NY, and at additional mailing offices.

The code and the copyright notice appearing at the bottom of the first page of an article in the journal indicate the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the United States Copyright Law. The per-copy fee is to be paid through the Copyright Clearance Center, Inc. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Department, john Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158-0012; (212) 850-6011, fax (212) 850-6008, e-mail: permreq@wiley.com.

Subscription Price (Volume 17, 2000): $1,750.00 in US, $1,870.00 in Canada and Mexico, $1,972.00 outside North America. All subscriptions outside US will be sent by air. Personal rate: $252.00 in US, $324.00 outside North America. Subscriptions at the personal rate are available only to individuals. Payment must be made in US dollars drawn on a US bank. Please allow four weeks for processing a change of address. For subscription inquiries, please call (212) 850-6645; E-mail: SUBINFO@ wiley.com.

Claims for undelivered copies will be accepted only after the following issue has been received. Please enclose a copy of the mailing label or cite your subscriber reference number in order to expedite handling. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits.

Postmaster: Send address changes to *Journal of Robotic Systems*, Caroline Rothaug, Director, Subscription Fulfillment and Distribution, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.

Advertising Sales: Inquiries concerning advertising should be forwarded to Advertising Sales Manager, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158; (212) 850-8832. Advertising Sales, European Contacts: Jackie Sibley, John Wiley & Sons, Ltd., Baffins Lane, Chichester, West Sussex PO19 1UD, England; (+44) 1243-770-351; fax: (+44) 1243-770-432; E-mail: adsales@ wiley.co.uk.

Reprints: Reprint sales and inquiries should be directed to Customer Service Department, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158; (212) 850-8789.

Manuscripts should be submitted to the Editors, Dr. G. Beni or Dr. S. Hackwood, *Journal of Robotic Systems*, Bourns College of Engineering, University of California—Riverside, Riverside, CA 92521-0425. Information for contributors appears in the first and last issues of each volume.

Final Revised Manuscript: A final version of your accepted manuscript should be submitted on diskette as well as hard copy, using the guidelines for Diskette Submission Instructions form usually included in most issues of the journal.

Other Correspondence: Address all other correspondence to *Journal of Robotic Systems*, Publisher, Interscience Division, Professional/Trade Group, John Wiley & Sons, Inc., 605 Third Ave., New York, NY 10158.

The contents of this journal are indexed or abstracted in *Applied Science & Technology Index, Computer and Control Abstracts, Compumath, Computer & Information Systems Abstracts, Current Contents/Engineering, Technology & Applied Sciences, Current Papers on Computers & Control, Current Papers in Electrical & Electronics Engineering, Electrical & Electronics Abstracts, Engineering Index, Research Alert (ISI), Science Citation Index (ISI), SCISEARCH Database (ISI),* and *Wilson Applied Science & Technology Abstracts.*

This paper meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper).

Journal of Robotic Systems

Author Index to Volume 17

Adamini, R., see Omodei, A.
Antoniadis, I., see Hountras, A.
Arai, H., see Lee, H.
Asmer, H., see Talebi, H. A.

Baiker, S., see Guivant, J.
Balkan, T., see Sahir Arıkan, M. A.
Bassi, D., see Kelly, R.
Bayro-Corrochano, E., Motor Algebra Approach for Computing the Kinematics of Robot Manipulators, 495
Benhabib, B., see Mehrandezh, M.
Bernabeu, E. J., Optimal Geometric Modeler for Robot Motion Planning, 593

Carignan, C. R., A Partitioned Redundancy Management Scheme for an Eight-Joint Revolute Manipulator, 453
Chang, Y.-C., see Chuang, H.-Y.
Charlebois, M., On Estimating Local Shape Using Contact Sensing, 643
Chen, H., see Wu, W.
Chen, H.-H., see Tseng, C.-S.
Choi, Y. J., see Kim, H. S.
Christoforou, E. G., The Control of Flexible-Link Robots Manipulating Large Payloads: Theory and Experiments, 255
Chuang, H.-Y., A Novel Contour Error Compensator for 3-PRPS Platform, 273
Chung, H., see Park, J. H.
Costantinescu, D., Smooth and Time-Optimal Trajectory Planning for Industrial Manipulators along Specified Paths, 233
Croft, E. A., see Costantinescu, D.

Dai, J. S., see Ghafoor, A.
Damaren, C. J., see Christoforou, E. G.
Duan, B. Y., see Su, Y. X.
Duffy, J., see Ghafoor, A.

Erkmen, A. M., Optimal Initialization of Manipulation Dynamics by Vorticity Model of Robot Hand Preshaping. Part I: Vorticity Model, 199
Erkmen, A. M., Optimal Initialization of Manipulation Dynamics by Vorticity Model of Robot Hand Preshaping. Part II: Analyses of Grasp Initialization and Its Vorticity Based Optimization, 213
Erkmen, I., see Erkmen, A. M.
Erkmen, I., see Erkmen, A. M.

Favela, J., see Kelly, R.
Fenton, R. G., see Mehrandezh, M.
Fischer, I. S., A Geometric Method for Determining Joint Rotations in the Inverse Kinematics of Robotic Manipulators, 107
Fujimori, A., Cooperative Collision Avoidance between Multiple Mobile Robots, 347

Gardner, J. F., Kinematics of Mobile Manipulators and Implications for Design, 309
Ghafoor, A., Fine Motion Control Based on Constraint Criteria under Pre-Loading Configurations, 171
Gosselin, C. M., Static Balancing of Spatial Six-Degree-of-Freedom Parallel Mechanisms with Revolute Actuators, 159
Guivant, J., Localization and Map Building Using Laser Range Sensors in Outdoor Applications, 565
Gupta, K., see Charlebois, M.
Gupta, M. M., see Fujimori, A.

Hall, J. J., Case Study: Inertial Measurement Unit Calibration Platform, 623
Hemami, H., Modelling and Control of Biological Systems with Multiple Afferent and Efferent Transmission Delays, 609
Ho, Y. K., Modelling of Constrained Robot System with Constraint Uncertainties, 53
Hong, K.-S., Manipulability Analysis of a Parallel Machine Tool: Application to Optimal Link Length Design, 403
Hountras, A., Application of N-Step-Ahead Neuro-Control on Articulated Manipulators, 127
Howard, R. D., see Carignan, C. R.

Ibarra, J. M., see Kelly, R.

Ji, P., A Fast Solution to Identify Placement Parameters for Modular Platform Manipulators, 251

Kähler, D., see Bayro-Corrochano, E.
Kalra, P. K., see Krishna, K. M.
Kanarachos, A., see Hountras, A.
Kang, J.-Y., see Kim, D. H.
Kelly, R., Asymptotically Stable Visual Servoing of Manipulators via Neural Networks, 659
Kim, D. H., Robust Tracking Control Design for a 6 DOF Parallel Manipulator, 527
Kim, H. S., The Kinematic Error Bound Analysis of the Stewart Platform, 63
Kim, J.-G., see Hong, K.-S.
Krishna, K. M., Solving the Local Minima Problem for a Mobile Robot by Classification of Spatio-Temporal Sensory Sequences, 549

Lee, H., Control of Mobile Manipulators for Power Assist Systems, 469
Lee, K.-I., see Kim, D. H.
Legnani, G., see Omodei, A.
Lewis, F. L., see Shi, Q.
Li, Z., see Shi, Q.
Lin, L.-C., Modeling and Control of Micropositioning Systems Using Stewart Platforms, 17

Matthew, G. K., see Selfridge, R. G.
Mattiazzo, G., see Raparelli, T.
Mauro, S., see Raparelli, T.
Mehrandezh, M., Proportional Navigation Guidance for Robotic Interception of Moving Objects, 321

Nebot, E., see Guivant, J.
Nikiforuk, P. N., see Fujimori, A.
Nokleby, S. B., Velocity Degenerancy Determination for the Kinematically Redundant CSA/ISE STEAR Testbed Manipulator, 633
Nokleby, Scott B., see Podhorodeski, R. P.
Notash, L., Joint Sensor Fault Detection for Fault Tolerant Parallel Manipulators, 149

Omodei, A., Three Methodologies for the Calibration of Industrial Manipulators: Experimental Results on a SCARA Robot, 291
Özbay, H., see Hemami, H.

Pan, L., PD Manipulator Controller with Fuzzy Adaptive Gravity Compensation, 93
Park, J. H., Hybrid Control of Biped Robots To Increase Stability in Locomotion, 187
Patel, R. V., see Talebi, H. A.
Payandeh, S., see Charlebois, M.
Peng, S., see Zhao, X.
Podhorodeski, R. P., Reconfigurable Main-Arm for Assembly of All Revolute-Only Kinematically Simple Branches, 365
Podhorodeski, R. P., see Nokleby, S. B.

Raparelli, T., Design and Development of a Pneumatic Anthropomorphic Hand, 1

Sahir Arıkan, M. A. , Process Modeling, Simulation, and Paint Thickness Measurement for Robotic Spray Painting, 479
Sela, M. N., see Mehrandezh, M.
Selfridge, R. G., Forward Analysis of Some Special Stewart Platforms, 517
Seraji, H., Fuzzy Traversability Index: A New Concept for Terrain-Based Navigation, 75
Shi, Q., The Centralized Formulation for Complete Dynamic Modelling of Robots, 119
Soh, Y. C., see Ho, Y. K.
Su, Y. X., The Application of the Stewart Platform in Large Spherical Radio Telescopes, 375
Sultan, I. A., On the Positioning of Revolute-Joint Robot Manipulators, 429
Szuminski, P., Determination of the Dynamic Angle of the Bearing's Rolling Element Location and of Its Influence on the Loads and Rolling Elements, 671

Takubo, T., see Lee, H.
Talebi, H. A., Neural Network Based Dynamic Modeling of Flexible-Link Manipulators with Application to the SSRMS, 385
Tanie, K., see Lee, H.
Tekkaya, E., see Erkmen, A. M.
Tekkaya, E., see Erkmen, A. M.
Teramoto, M., see Fujimori, A.
Tokad, Y., On the Equilibrium of a Rigid Body Suspended by a Set of Linear Springs, 417
Tornero, J., see Bernabeu, E. J.
Tsay, M.-U., see Lin, L.-C.
Tseng, C.-S., Image-Guided Robotic Navigation System for Neurosurgery, 439
Tseng, H.-M., see Tseng, C.-S.

Velardocchia, M., see Raparelli, T.
Velinsky, S. A., see Gardner, J. F.

Wang, D., see Ho, Y. K.
Wang, J., see Gosselin, C. M.
Wang, S.-S., see Tseng, C.-S.
Williams II, R. L., see Hall, J. J.

Woo, P.-Y., see Pan, L.
Woo, P.-Y., see Wu, W.
Wu, H. T., see Ji, P.
Wu, W., Time Optimal Path Planning for a Wheeled Mobile Robot, 585

Yoshikawa, T., Erratum to "Dynamic Manipulability of Robot Manipulators", 449

Zhao, X., Direct Displacement Analysis of Parallel Manipulators, 341